


Parts Guide

For Water-Filled Products

Sentry *Water-Cable Barrier*



SLED

SLED mini



TraFFix WATER-CABLE Barrier

TraFFix Water-Wall



**TraFFix
Devices Inc.** 

Engineered Products for Safer Highways

160 Avenida La Pata
San Clemente, CA 92673

This page intentionally left blank.

Table of Contents

Section 1: TrafFix Water-Wall & Water-Cable Barrier

TrafFix Water-Wall Module	05
TrafFix Water-Wall Specifications	06
TrafFix Water-Cable Barrier Module	07
TrafFix Water-Cable Barrier Specifications	08
90 Deg Corner Pin	09
Sled Mini End Treatment	10
Hardware	11

Section 2: Fencing For TrafFix Water-Wall & Water-Cable Barrier


Configurations	13
T-Pin and 90 Deg Rotation	14
Accessories & Dimensions	15
Hardware	16

Section 3: Sentry Water-Cable Barrier


Module	19
Specifications	20
End Treatment	21
Hardware	22

Section 1: TrafFix Water-Wall & TrafFix Water-Cable Barrier


TrafFix Water-Wall Module



Dimensions



Red/Orange Module:
45032-O



White Module:
45032-W

**Includes One T-Pin and
Keeper Pin*


Water Wall Module



Empty Weight:
75 lbs (34 kg)



Material:
Polyethylene




Dimensions:
Length: **73" (1854 mm)**
Width: **18" (457 mm)**
Height: **32" (813 mm)**

Filled Water Wall Module



Filled Weight:
1000 lbs (454 kg)




Water Volume:
111 Gal (420 L)




Fill Cap
Black Fill Cap

TrafFix Water-Wall Specifications




Forklift/Pallet Jack Slots,
For Easy Movement and Transport



30°

Maximum Rotation

TrafFix Water-Cable Barrier Module




Dimensions



Red/Orange Module:
45332-MO

**Includes One T-Pin and
Keeper Pin*



White Module:
45332-MW


Water-Cable Module



Empty Weight:
110 lbs (50 kg)



Material:
Polyethylene




Dimensions:
Length: **73" (1854 mm)**
Width: **18" (457 mm)**
Height: **32" (813 mm)**

Filled Water-Cable Module



Filled Weight:
1100 lbs (500 kg)




Water Volume:
111 Gal (420 L)




Fill Cap
Black Fill Cap


TrafFix Water-Cable Barrier Specifications



Three Internally Molded-In Steel Cables



Forklift/Pallet Jack Slots,
For Easy Movement and Transport




30°
Maximum Rotation

90° Corner Pin Rotation



**Corner Pin Sold Separately*
See page 11

90°
Maximum Rotation
With
90° Corner Pin



SLED mini End Treatment



45032-Y-CIS



45032-S



45332-MY

Hardware



45032-CP

T-Pin with Keeper Pin

45032-CPGAL

T-Pin

45032-PN

Keeper Pin (R-Clip)



45033-RC-B

Plastic Drain Plug



45032-DPT

Drain Plug Socket Tool



45032-WW90

90° Corner Pin



45032-PDW

Plastic Drain Plug Wrench



45032-DW

Steel Drain Plug Wrench



18009-BLK

No Fill Cap





18009-B-I

Drive By Float

Lid*Optional

**Section 2:
Fencing For
TraFFix Water-Wall
&
TraFFix Water-Cable Barrier**


Fence Configurations



Two 6' Gates Can Be Combined
Making a 12' Gate



Maximum Rotation With
90° Corner Pin




Maximum Rotation With
6ft T-Pin


T-Pin & 90° Deg Rotation



**Fence Corner Pin Sold Separately See page 16*



90°
Maximum Rotation With
90° Fence Corner Pin



30°
Maximum Rotation
With 6ft T-Pin



**One 6ft T-Pin and Keeper Pin Included With
Water Wall Fence Panel*

Fence Accessories & Dimensions


45032-WWFG-C
Water-Wall Gate




45032-WWFG-C3
Water-Wall Personnel Gate




6' 1829 mm
T-Pin with Keeper Pin:
45032-WWF-CP




3' Single Gate:
45032-WWF-G3




6' Single Gate:
45032-WWF-G6



**Gate Attachment
Frame:**
45032-WW-GA



Dimensions



WW Fence Panels:
45032-WWF

Fence Hardware

45032-WWF-CP

T-Pin with Keeper Pin



45032-WWF-CPGAL

T-Pin

45032-PN

Keeper Pin (R-Clip)



45033-RC-B

Plastic Drain Plug



45032-DPT

Drain Plug Socket Tool



45032-WWF90

90° Water-Wall Fence
Corner Pin



45032-WWF-GHF

Gate Hinge Female



45032-WWF-GHM

Gate Hinge Male



45032-WWF-GF

Gate Fork



45032-PDW

Plastic Drain Plug Wrench



45032-DW

Steel Drain Plug Wrench



18009-BLK

No Fill Cap



18009-B-I

Drive By Float


Lid*Optional

This page intentionally left blank.

Section 3:

Sentry Water-Cable Barrier

Sentry Water-Cable Barrier Module




Sentry Water-Cable Barrier Module



Empty Weight:
160 lbs (73 kg)



Material:
Polyethylene




Dimensions:
Length: **76" (1924 mm)**
Width: **22 1/2" (559 mm)**
Height: **46" (1062 mm)**

Filled Sentry Water-Cable Barrier Module



Filled Weight:
2000 lbs (907 kg)



Water Volume:
220 Gal (832 L)




Fill Cap
Black Fill Cap


Sentry Water-Cable Barrier Specifications



Four Internally Molded-In Steel Cables




Forklift/Pallet Jack Slots,
For Easy Movement and Transport



15°
Maximum Rotation

End Treatment For Sentry Water-Cable Barrier



45044-Y-CIS



45044-S



45044-YH

Sentry Water-Cable Barrier Hardware



45043-CP

T-Pin with Keeper Pin

45043-CPGAL

T-Pin

45032-PN

Keeper Pin (R-Clip)



45033-RC-B

Plastic Drain Plug



45032-DPT

Drain Plug Socket Tool



18009-B-I

Drive By Float

Lid *Optional

45032-PDW

Plastic Drain Plug Wrench



45032-DW

Steel Drain Plug Wrench



18009-BLK

No Fill Cap

This page intentionally left blank.

***TrafFix
Devices Inc.***



Engineered Products for Safer Highways

(949) 361-5663

© 2024 TrafFix Devices