

TraFFix-RAIL™ FAMILY OF PRODUCTS

TraFFix Devices Inc. Presents: TraFFix-RAIL™

TraFFix-RAIL is the key component that made possible the creation of three revolutionary new barricades. These all-plastic, lightweight (0.8 lb/ft) barricade rails are a safe and durable alternative to conventional wood and metal barricade rails.

The TraFFix-RAIL family of products includes:

- **TraFFix-CADE™**, modular barricade system.
- **TraFFix-"A"-CADE™**, rigid A-frame barricade system.
- **TraFFix Type III**, breakaway barricade system.



The **BREAK** resistant TraFFix-RAIL has superior impact resistance and flexibility as compared to wood or metal rails. The unique **I BEAM** rail design protects the reflective sheeting from scratching and abrasion thereby maintaining its brightness longer.



▲ TraFFix-CADE Modular Barricade System



▲ TraFFix-"A"-CADE Rigid A-Frame Barricade System

◀ TraFFix Type III
Breakaway Barricade System

▼ TraFFix-RAIL combines flexibility and durability.



**TraFFix®
Devices Inc.**



TraFFix, TraFFix-RAIL, TraFFix-CADE and TraFFix-"A"-CADE (patent pending) are trade marks of TraFFix Devices Inc. Specifications subject to change without notice.

TraFix-^{“A”}-CADE

Accepts Plastic *TraFix-RAIL*[™]
or Standard Wood Rail

This impact resistant polyethylene, rigid, A-frame barricade is sand fillable for ballasting, stackable for storage and transportation, and also accepts a standard barricade light. It can be used with a 1" x 8" or 2" x 8" nominal lumber size wood rail or the all-plastic *TraFix-RAIL*.



▲ *TraFix-“A”*-CADE using 4, 6, 8, and 12 foot lengths of the all-plastic *TraFix-RAIL*. Rails are lightweight but durable, easy to use and they stack for storage and transportation.

▼ *TraFix-“A”*-CADES stack for storage and transportation.



▼ *TraFix-RAIL*'s unique I beam design fits snugly in *TraFix-“A”*-CADE leg.



▼ Sand-fillable compartment holds up to 15 lbs of sand.



▲ I beam design keeps reflective sheeting from being scratched.



▼ *TraFix-“A”*-CADE also accepts 1" x 8" or 2" x 8" nominal lumber of various lengths.



BREAKAWAY TYPE III BARRICADE

With Plastic *TrafFix-RAIL™* and *RAIL CLIP* for Safety and Durability



- ▲ *TrafFix* Breakaway Type III Barricade utilizes the all-plastic *TrafFix-RAIL* and *RAIL CLIP* for mounting to wood, metal or plastic uprights. Complete Type III Breakaway Barricade is available using Unistrut's Telespar tubing with breakaway base, bracket and detachable feet.



- ▲ With the *TrafFix-RAIL* and *CLIP* System, a modular Type III Barricade can be built using any type of uprights and feet. *TrafFix-RAIL* is available in 4, 6, 8, and 12 foot lengths.



- ◀ *RAIL CLIP* can be used for mounting the *TrafFix-RAIL* on square tubing or any type or size of wood, metal or plastic uprights.



- ▲ *TrafFix-RAIL* is made of flexible, impact resistant polyethylene for durability and safety.



- ▲ Complete Type III Barricade can be assembled and disassembled in a matter of minutes by one person.



- ◀ Breakaway Base yields to impacting vehicles. Easily detachable feet allow for efficient transportation, assembly and storage.

TraFFix-CADE™
MODULAR BARRICADE SYSTEM
All-Plastic Linkable Barricade

TraFFix-CADE Modular Barricade System utilizes all-plastic **TraFFix-CONES** and **TraFFix-RAILS** to create linked or freestanding barricades or cones. **TraFFix-CONES** are 45" tall. **TraFFix-RAILS** have 8" wide reflective sheeting with right-hand stripes one side, left-hand stripes opposite side. They are available for mounting on **TraFFix-CONES** in 2, 3, 4 and 6 foot lengths.



▲ Modular Barricade can be used to enclose any size or shape excavation or work zone.



2' or 3' rails can be used to make a freestanding Type I or Type II Barricade.



TRUCK KIT



▲ **TraFFix Truck Kit** shown here consists of 8 **TraFFix-CONES** and 4 each of 2', 3', 4', and 6' **TraFFix-RAILS**. All rails are sheeted on both sides with alternating orange and white stripes -- left-hand stripes on one side, right-hand stripes on opposite side -- in engineer grade or high performance level reflective sheeting. **TraFFix-Cones** and **RAILS** stack for transportation and storage.



▲ 2' or 3' rails can be used to make a vertical panel barricade with a standard light.



▲ **TraFFix-CONE** can be used by itself or with a standard barricade light and reflective collar for night time use.

TraFFix-CONE can be used with regulatory signs for temporary traffic control. Seven pound cone can be internally ballasted with up to 23 lbs of sand.



Distributed By:



220 Calle Pintesresco, San Clemente, CA 92672
(714) 361-5663 FAX (714) 361-9205